



SPRAY FOAM TRUCK

TECHNOLOGY FOR SPRAY FOAM APPLICATION

TECHNOLOGY DESIGNED FOR TRUCK



HONTER III

MOST REQUESTED

Medium performance application system HONTER III with hydraulic drive for PUR foam injection and casting. The latest generation of machines brings an improved hydraulic module and a new steering system. The high quality of equipment with the right performance ranks these dispensers among the most versatile in its category. Best-selling model for regular work of medium and larger ranges.



COMPRESSOR

Screw compressor INGERSOLL-RAND R4IU-10-200SD-D with 200 liter pressure vessel with cooling air dryer.

Engine power: 4,0 kW
Max pressure: 10,0 bar
Comp. Output: 467 l/min

TRUCK WITH PROFFESIONAL SPRAY FOAM TECHNOLOGY:





HONTER III

Medium performance application system HONTER III with hydraulic drive for PUR foam injection and casting. The latest generation of machines brings an improved hydraulic module and a new steering system. The high quality of equipment with the right performance ranks these dispensers among the most versatile in its category. Best-selling model for regular work of medium and larger ranges.

HYDRAULIC

Max. output 1:1 @ 80 Bar	Main heating	Hose heating	Max. hose length
15 kg/min	12 kW (2x6 kW)	3 kW	93 m



HONTER III PLUS

Medium-sized application system HONTER III PLUS with hydraulic drive for PUR foam injection and casting with touch screen and many functions. The latest generation of machines brings an improved hydraulic module and a new steering system. The high quality of equipment with the right performance ranks these dispensers among the most versatile in its category. Best-selling model for regular work of medium and larger ranges.

HYDRAULIC

Max. output 1:1 @ 80 Bar	Main heating	Hose heating	Max. hose length
15 kg/min	12 kW (2x6 kW)	3 kW	93 m



HONTER V

Powerful application system HONTER V with hydraulic drive for spraying protective polyurea materials and PUR foams. The latest generation of machines delivers an improved hydraulic module and a new steering system. Suitable for regular large-scale work.

HYDRAULIC

Max. output 1:1 @ 80 Bar	Main heating	Hose heating	Max. hose length
22 kg/min	12 kW (2x6 kW)	3 kW	93 m



HONTER G125

Smaller mobile spraying system HONTER G125 with air drive for spraying PUR foams. High Quality devices with suitable performance rank these dispensers among the most versatile in their category. Ideal for regular small-scale applications. **Recommended compressor 7,5 hp**

AIR

Max. output 1:1 @ 80 Bar	Main heating	Hose heating	Max. hose length
9 kg/min	10 kW (2x5 kW)	3 kW	93 m



SPRAY FOAM ACCESORIES



SPRAY GUN MASTER III

The new MASTER II has been designed to offer the operator a very intuitive and easy handling. The main block can be disassembled manually for quick access to the mixing chamber and seals, filters and check valves are in the same location for easy handling. All models include a set of tools with the necessary tools for the correct adjusting and maintaining guns.



HEATED HOSES

Heated hoses with full-braided heating will not disappoint you, even when applied during the winter months.



HYDRAULIC PUMPS

Air metering pumps for material transfer from barrels to technology. they are available in short and long variants depending on the installation location.

Max. liquid pressure	Max. air pressure on the input	Max. volume outlet
22,5 bars	10 bars	20,8 l/min

FOR ORDERS CALL

+420 773 581 581

Honter Company s.r.o.
Kubánské nám. 1391/11
Praha 10, 100 00